

Air₄ Remotes

A

EU = Europe • IB = Spain and Portugal



FOR ACME®	
MODEL	TX2/TX2/COLOR
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.9 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ACME®	
MODEL	TX4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.9 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ADYX®	
MODEL	433-HG BRAVO
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ADYX®	
MODEL	TE4433H BLUE
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ADYX®	
MODEL	TM-433
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR AERF®	
MODEL	BT
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR AERF®	
MODEL	COMPACT
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR AERF®	
MODEL	HY-DOM
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L (IB)
AIR4 HOME / HOME PRO	YES



FOR AERF®	
MODEL	MARS
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L (IB)
AIR4 HOME / HOME PRO	YES



FOR AERF®	
MODEL	MARS
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

A

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR AERF®	
MODEL	MERCURI B 433
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L (IB)
AIR4 HOME / HOME PRO	YES



FOR AERF®	
MODEL	MERCURI B 868
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR AERF®	
MODEL	MERCURI C 868
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR AERF®	
MODEL	MERCURY C
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L (IB)
AIR4 HOME / HOME PRO	YES



FOR AERF®	
MODEL	SABUTON
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR AERF®	
MODEL	SATURN
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L (IB)
AIR4 HOME / HOME PRO	YES



FOR AERF®	
MODEL	ST3/N
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR AERF®	
MODEL	TERRA C3
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR AERF®	
MODEL	TERRA C8
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	NO / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V
AIR4 HOME / HOME PRO	YES



FOR AERF®	
MODEL	TMP-1
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

A

EU = Europe • IB = Spain and Portugal



FOR AERF®	
MODEL	TMP-2
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR AERF®	
MODEL	TTS
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR AERF®	
MODEL	UNITECH
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR ALBANO®	
MODEL	MICRO TRINARY-B
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALBANO®	
MODEL	TX-MICROTRINARY
ROLLING TYPE	FIXED CODE
FREQUENCY	30.545 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALBANO®	
MODEL	TX-PLC
ROLLING TYPE	FIXED CODE
FREQUENCY	33.1 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALBANO®	
MODEL	TX-PR
ROLLING TYPE	FIXED CODE
FREQUENCY	33.1 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALBANO®	
MODEL	TX-TRINARY
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALFA TORRES®	
MODEL	RT1 - RT2 ALFA
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2
AIR4 HOME / HOME PRO	YES



FOR ALFA TORRES®	
MODEL	TP2 MINI
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

A

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR ALLMATIC®	
MODEL	AKMX
ROLLING TYPE	FIXED CODE
FREQUENCY	40 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALLMATIC®	
MODEL	AKMX
ROLLING TYPE	FIXED CODE
FREQUENCY	30.9 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALLMATIC®	
MODEL	AKMY
ROLLING TYPE	FIXED CODE
FREQUENCY	40.665 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALLMATIC®	
MODEL	AKMY
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALLMATIC®	
MODEL	AKMY
ROLLING TYPE	FIXED CODE
FREQUENCY	26.995 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALLMATIC®	
MODEL	ASM2
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ALLMATIC®	
MODEL	ASMY
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ALLMATIC®	
MODEL	B.RO 2WN
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ALLMATIC®	
MODEL	B.RO 3WN
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ALLMATIC®	
MODEL	B.RO 4WN
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

A

EU = Europe • IB = Spain and Portugal



FOR ALLMATIC®	
MODEL	B.RO OVER
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR ALLMATIC®	
MODEL	B.RO WN RED
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR ALLMATIC®	
MODEL	FOR4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR ALLMATIC®	
MODEL	MINI PASS
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR ALLMATIC®	
MODEL	PASS
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR ALLMATIC®	
MODEL	TECH 3
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR ALLTRONIC®	
MODEL	S206
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALLTRONIC®	
MODEL	S215
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALLTRONIC®	
MODEL	S235
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALLTRONIC®	
MODEL	S406
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

A

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR ALLTRONIC®	
MODEL	S406
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALLTRONIC®	
MODEL	S415
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALLTRONIC®	
MODEL	S415
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALLTRONIC®	
MODEL	S425
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ALLTRONIC®	
MODEL	S435
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALLTRONIC®	
MODEL	S435
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALLTRONIC®	
MODEL	S435-B
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALLTRONIC®	
MODEL	S435-B
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

Image
not
available

FOR ALUKON®	
MODEL	COMFORT 220
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ALUKON®	
MODEL	MT87A1
ROLLING TYPE	FIXED CODE
FREQUENCY	868.5 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

A

EU = Europe • IB = Spain and Portugal



FOR ALULUX®	
MODEL	DIGITAL 302
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ALULUX®	
MODEL	DIGITAL 302
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

Image not available

FOR ALULUX®	
MODEL	H-S40
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALULUX®	
MODEL	MS 40
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALULUX®	
MODEL	MT 40A
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALULUX®	
MODEL	MT87A1
ROLLING TYPE	FIXED CODE
FREQUENCY	868.5 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ALULUX®	
MODEL	RATOR 40
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ALUTEC®	
MODEL	ALUTECH AT-4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	NO / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128
AIR4 HOME / HOME PRO	YES

Image not available

FOR ALUTEC®	
MODEL	RFKCO-40-5
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

Image not available

FOR ALUTEC®	
MODEL	T102497-40-5
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

A

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



Image
not
available

FOR ALUTEC®	
MODEL	T397-40-2
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ANSONIC®	
MODEL	SA40
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ANSONIC®	
MODEL	SA434
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

FOR ANSONIC®	
MODEL	SF40
ROLLING TYPE	FIXED CODE
FREQUENCY	40.665 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ANSONIC®	
MODEL	SF433
ROLLING TYPE	FIXED CODE
FREQUENCY	433.075 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

FOR APERTO®	
MODEL	CPS
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

Image
not
available

FOR APERTO®	
MODEL	RFKC0-40-5
ROLLING TYPE	FIXED CODE
FREQUENCY	40 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

Image
not
available

FOR APERTO®	
MODEL	T102497-27-5
ROLLING TYPE	FIXED CODE
FREQUENCY	27.045 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

Image
not
available

FOR APERTO®	
MODEL	T102497-40-5
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

Image
not
available

FOR APERTO®	
MODEL	T397-40-2
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

A

EU = Europe • IB = Spain and Portugal



FOR APERTO (SOMMER)®	
MODEL	4020-TX03-434
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR APERTO (SOMMER)®	
MODEL	TX02-434-2
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR APERTO (SOMMER)®	
MODEL	TX02-868-2
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR APRIMATIC®	
MODEL	TM4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR APRIMATIC®	
MODEL	TR2
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR APRIMATIC®	
MODEL	TR4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR APRIMATIC®	
MODEL	TXM
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ATA®	
MODEL	PTX4 BLU
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, F
AIR4 HOME / HOME PRO	YES



FOR ATA®	
MODEL	PTX4 PINK
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, F
AIR4 HOME / HOME PRO	YES

Image
not
available

FOR ATODOR®	
MODEL	G4330 E
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

A

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



Image
not
available

FOR ATODOR®	
MODEL	G4332 E
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

Image
not
available

FOR ATODOR®	
MODEL	G4333 E
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

Image
not
available

FOR ATODOR®	
MODEL	G4335 E
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

Image
not
available

FOR ATODOR®	
MODEL	G750 EML
ROLLING TYPE	FIXED CODE
FREQUENCY	27.145 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ATAS / DICKERT®	
MODEL	HS DX27
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR AUTELCO®	
MODEL	EMB
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR AUTELCO®	
MODEL	TX300
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR AUTELCO®	
MODEL	TX300T
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

Image
not
available

FOR AUTODOOR®	
MODEL	1A4443-2
ROLLING TYPE	FIXED CODE
FREQUENCY	27.045 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR AVIDSEN®	
MODEL	104250
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

A

EU = Europe • IB = Spain and Portugal



FOR AVIDSEN®	
MODEL	104250 OLD2
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L (IB)
AIR4 HOME / HOME PRO	YES



FOR AVIDSEN®	
MODEL	104250 RED
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L (IB)
AIR4 HOME / HOME PRO	YES



FOR AVIDSEN®	
MODEL	104251
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L (IB)
AIR4 HOME / HOME PRO	YES



FOR AVIDSEN®	
MODEL	104350
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L (IB)
AIR4 HOME / HOME PRO	YES



FOR AVIDSEN®	
MODEL	654250
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L (IB)
AIR4 HOME / HOME PRO	YES



FOR AVIDSEN®	
MODEL	TX4 104257
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L (IB)
AIR4 HOME / HOME PRO	YES



FOR AVIDSEN®	
MODEL	TX4 114253
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L (IB)
AIR4 HOME / HOME PRO	YES



FOR B&B®	
MODEL	EMY N
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR B&B®	
MODEL	QTE
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR B&D®	
MODEL	62170
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

B

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR B&D®	
MODEL	PTX4
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BALLAN®	
MODEL	FM402
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU)
AIR4 HOME / HOME PRO	YES



FOR BALLAN®	
MODEL	FM402E
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU)
AIR4 HOME / HOME PRO	YES



FOR BALLAN®	
MODEL	FM404 (FM)
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU)
AIR4 HOME / HOME PRO	YES



FOR BALLAN®	
MODEL	FM404B
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU)
AIR4 HOME / HOME PRO	YES



FOR BALLAN®	
MODEL	FM404E
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU)
AIR4 HOME / HOME PRO	YES

Image
not
available

FOR BECKER®	
MODEL	4K
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

Image
not
available

FOR BECKER®	
MODEL	4K MINI OR MAXI
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

Image
not
available

FOR BECKER®	
MODEL	K
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

Image
not
available

FOR BECKER®	
MODEL	K
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

B

EU = Europe • IB = Spain and Portugal



FOR BECKER®	
MODEL	MAXI
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR BECKER®	
MODEL	MICRO
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BECKER®	
MODEL	MINI
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR BELFOX®	
MODEL	712
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR BELFOX®	
MODEL	712
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR BELFOX®	
MODEL	713
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR BELFOX®	
MODEL	723
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

Image not available

FOR BELFOX®	
MODEL	733
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

Image not available

FOR BELFOX®	
MODEL	735
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

Image not available

FOR BELFOX®	
MODEL	743
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

B

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



Image
not
available

FOR BELFOX®	
MODEL	745
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR BELFOX®	
MODEL	773
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

FOR BELFOX®	
MODEL	783
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR BELFOX®	
MODEL	7834-MINI
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

FOR BELFOX®	
MODEL	DHS 7
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR BELFOX®	
MODEL	DHS 7
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

FOR BELFOX®	
MODEL	DHS 7
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BELFOX®	
MODEL	DX
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

FOR BELFOX®	
MODEL	DX
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR BENINCA®	
MODEL	APPLE
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

B

EU = Europe • IB = Spain and Portugal



FOR BENINCA®	
MODEL	CUPIDO 2/4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BENINCA®	
MODEL	HAPPY 2-4VA
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BENINCA®	
MODEL	IO.2WV BLUE
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BENINCA®	
MODEL	IO.2WV ORANGE
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BENINCA®	
MODEL	IRI.TX4AK
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BENINCA®	
MODEL	IRI.TX4VA
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BENINCA®	
MODEL	LOT A
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR BENINCA®	
MODEL	LOT E
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR BENINCA®	
MODEL	LOT W
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BENINCA®	
MODEL	LOT WMS
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

B

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR BENINCA®	
MODEL	LOT X
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR BENINCA®	
MODEL	LOT XPS
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR BENINCA®	
MODEL	LOT XW
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BENINCA®	
MODEL	LOT2WCV
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BENINCA®	
MODEL	ROLLKEY
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BENINCA®	
MODEL	T4 WV
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BENINCA®	
MODEL	TO.GO 2-4QV
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.5 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR BENINCA®	
MODEL	TO.G02 VA
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BENINCA®	
MODEL	TO.G02 WV
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BENINCA®	
MODEL	TO.G04 VA
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

B

EU = Europe • IB = Spain and Portugal



FOR BENINCA®	
MODEL	TO.G04 WV
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR BENINCA®	
MODEL	TO.GOWP
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR BENINCA®	
MODEL	TW4 K
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR BENINCA®	
MODEL	TX4 BLUE
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

Image not available

FOR BERNAL®	
MODEL	36527
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR BERNAL®	
MODEL	BE27L
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR BERNAL®	
MODEL	BS40L
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR BERNAL®	
MODEL	RCBE
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4 V64, V128, V, V PLUS (EU/IB)	
AIR4 HOME / HOME PRO	YES

Image not available

FOR BERNAL®	
MODEL	S521
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR BERNAL®	
MODEL	SERIE N
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

B

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



Image
not
available

FOR BERNAL®	
MODEL	SKJ
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

Image
not
available

FOR BERNAL®	
MODEL	SKX MD
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BERNER TORANTRIEBE®	
MODEL	RCBE868
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

Image
not
available

FOR BERNER TORANTRIEBE®	
MODEL	S27L
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR BERNER TORANTRIEBE®	
MODEL	S40L
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR BERNER TORANTRIEBE®	
MODEL	SKX MD
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BFT®	
MODEL	GIBLI
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BFT®	
MODEL	KLEIO
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BFT®	
MODEL	MITTO 2
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BFT®	
MODEL	MITTO 2/4A
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

B

EU = Europe • IB = Spain and Portugal



FOR BFT®	
MODEL	MITTO 2/4M
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BFT®	
MODEL	MITTO 4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BFT®	
MODEL	MITTO RCB02
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BFT®	
MODEL	MITTO RCB04
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BFT®	
MODEL	RB4 MURALE
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BFT®	
MODEL	TE01
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BFT®	
MODEL	TE02
ROLLING TYPE	FIXED CODE
FREQUENCY	433.2 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR BFT®	
MODEL	TE04
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BFT®	
MODEL	TFQ
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR BFT®	
MODEL	T02
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

B

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR BFT®	
MODEL	TRC 2/4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR BFT®	
MODEL	TX2 306
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR BFT®	
MODEL	TZSP
ROLLING TYPE	FIXED CODE
FREQUENCY	30.155 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR BFT®	
MODEL	VTM
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CAME®	
MODEL	MT
ROLLING TYPE	FIXED CODE
FREQUENCY	30.9 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CAME®	
MODEL	TCH
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CAME®	
MODEL	TOP 4DF
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CAME®	
MODEL	TOP 862 EE
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CAME®	
MODEL	TOP302M
ROLLING TYPE	FIXED CODE
FREQUENCY	30.9 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CAME®	
MODEL	TOP432-434EE
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

C

EU = Europe • IB = Spain and Portugal



FOR CAME®	
MODEL	TOP432EV
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CAME®	
MODEL	TOP432NA
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CAME®	
MODEL	TOP432S
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CAME®	
MODEL	TOP432SA
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CAME®	
MODEL	TOP434A
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CAME®	
MODEL	TOP434M
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CAME®	
MODEL	TOP862NA
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CAME®	
MODEL	TWIN
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CARDAL DOORS®	
MODEL	433
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CARDAL DOORS®	
MODEL	433 II
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

C

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



Image
not
available

FOR CARDALE DOORS®	
MODEL	433-M
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CARDALE DOORS®	
MODEL	868-4C
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CARDIN®	
MODEL	S 504 C2-4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	NO / NO
ON RECEIVER PROCEDURE	DIRECT
AIR4	V PLUS 128 ONLINE PROCEDURE
AIR4 HOME / HOME PRO	NO



FOR CARDIN®	
MODEL	S437 TX
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CARDIN®	
MODEL	S438200 BLUE
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CARDIN®	
MODEL	S449 MURALE
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CARDIN®	
MODEL	S449 QZ1
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CARDIN®	
MODEL	S449 QZ2
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CARDIN®	
MODEL	S449 QZ3
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CARDIN®	
MODEL	S449 QZ4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

C

EU = Europe • IB = Spain and Portugal



FOR CARDIN®	
MODEL	S466 PROG
ROLLING TYPE	FIXED CODE
FREQUENCY	27.195 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CARDIN®	
MODEL	S466 TX
ROLLING TYPE	FIXED CODE
FREQUENCY	27.195 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CARDIN®	
MODEL	S466 TX29875
ROLLING TYPE	FIXED CODE
FREQUENCY	29.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CARDIN®	
MODEL	S476 TX4
ROLLING TYPE	FIXED CODE
FREQUENCY	27.195 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CARDIN®	
MODEL	S486 QZ1 OLD
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CARDIN®	
MODEL	S486 QZ2 OLD
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CARDIN®	
MODEL	S486 QZ3 OLD
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CARDIN®	
MODEL	S486 QZ4
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CARDIN®	
MODEL	S738 TX
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CARDIN®	
MODEL	S738 TX27195
ROLLING TYPE	FIXED CODE
FREQUENCY	27.195 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

C

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR CARDIN®	
MODEL	TXQ 486 NEW
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CARDIN®	
MODEL	TXQ 486.200
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CARDIN®	
MODEL	TXQ 486.400
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CARDIN®	
MODEL	TXQ S449 GREEN
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CASALI®	
MODEL	A252RC 433
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU), F
AIR4 HOME / HOME PRO	YES



FOR CASALI®	
MODEL	JA332 AMIGO 868
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CASIT®	
MODEL	BE HAPPY S 1P
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CASIT®	
MODEL	BE HAPPY S 2P
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CASIT®	
MODEL	BE HAPPY S 3P
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CASIT®	
MODEL	BE HAPPY S AZUL 1P
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

C

EU = Europe • IB = Spain and Portugal

Image
not
available

FOR CASIT®

MODEL	BE HAPPY S AZUL 2P
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CASIT®

MODEL	BE HAPPY S AZUL 3P
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

FOR CASIT®

MODEL	ERTS4C
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CASIT®

MODEL	MPSTFRC
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES

FOR CASIT®

MODEL	MT2E
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR CASIT®

MODEL	VTM1 MPSTP2E
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES

FOR CDS®

MODEL	801016F27
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CDS®

MODEL	807117D
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

FOR CELINSA®

MODEL	AK
ROLLING TYPE	FIXED CODE
FREQUENCY	30.035 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CELINSA®

MODEL	AK-B
ROLLING TYPE	FIXED CODE
FREQUENCY	30.035 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

C

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR CELINSA®	
MODEL	AK-C
ROLLING TYPE	FIXED CODE
FREQUENCY	30.035 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CELINSA®	
MODEL	AK-D
ROLLING TYPE	FIXED CODE
FREQUENCY	30.035 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CELINSA®	
MODEL	AK-G
ROLLING TYPE	FIXED CODE
FREQUENCY	30.035 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CELINSA®	
MODEL	AK-L
ROLLING TYPE	FIXED CODE
FREQUENCY	30.035 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CELINSA®	
MODEL	AK-P
ROLLING TYPE	FIXED CODE
FREQUENCY	30.035 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CELINSA®	
MODEL	C-2
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CELINSA®	
MODEL	DR-2
ROLLING TYPE	FIXED CODE
FREQUENCY	440 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CELINSA®	
MODEL	DW-2
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CELINSA®	
MODEL	EK
ROLLING TYPE	FIXED CODE
FREQUENCY	29.91 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CELINSA®	
MODEL	K
ROLLING TYPE	FIXED CODE
FREQUENCY	29.99 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

C

EU = Europe • IB = Spain and Portugal



FOR CELINSA®	
MODEL	K-B
ROLLING TYPE	FIXED CODE
FREQUENCY	29.99 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CELINSA®	
MODEL	KG
ROLLING TYPE	FIXED CODE
FREQUENCY	29.99 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CELINSA®	
MODEL	ME
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CELINSA®	
MODEL	ME-B
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CELINSA®	
MODEL	MK
ROLLING TYPE	FIXED CODE
FREQUENCY	29.99 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CELINSA®	
MODEL	MOVICODE
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CELINSA®	
MODEL	RW-2
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CELINSA®	
MODEL	SAW
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CELINSA®	
MODEL	SE
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CELINSA®	
MODEL	SE-1
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

C

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR CELINSA®	
MODEL	SE-1B
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CELINSA®	
MODEL	SE-B
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CELINSA®	
MODEL	X-2
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CELINSA®	
MODEL	Z-2
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR CHAMBERLAIN/LIFT MASTER/MOTOR LIFT®	
MODEL	132B2372
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB), F
AIR4 HOME / HOME PRO	YES



FOR CHAMBERLAIN/LIFT MASTER/MOTOR LIFT®	
MODEL	1A5477
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB), F
AIR4 HOME / HOME PRO	YES



FOR CHAMBERLAIN/LIFT MASTER/MOTOR LIFT®	
MODEL	1A5639-7
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB), F
AIR4 HOME / HOME PRO	YES



FOR CHAMBERLAIN/LIFT MASTER/MOTOR LIFT®	
MODEL	1A6487
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB), F
AIR4 HOME / HOME PRO	YES



FOR CHAMBERLAIN/LIFT MASTER/MOTOR LIFT®	
MODEL	371 LM
ROLLING TYPE	ROLLING CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR CHAMBERLAIN/LIFT MASTER/MOTOR LIFT®	
MODEL	4335EML
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

C

EU = Europe • IB = Spain and Portugal



FOR CHAMBERLAIN/LIFT MASTER/MOTOR LIFT®

MODEL	433EML
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CHAMBERLAIN/LIFT MASTER/MOTOR LIFT®

MODEL	84330E
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB), F
AIR4 HOME / HOME PRO	YES



FOR CHAMBERLAIN/LIFT MASTER/MOTOR LIFT®

MODEL	84330EML/84333EML/84335EML
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB), F
AIR4 HOME / HOME PRO	YES



FOR CHAMBERLAIN/LIFT MASTER/MOTOR LIFT®

MODEL	8747EML
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB), F
AIR4 HOME / HOME PRO	YES



FOR CHAMBERLAIN/LIFT MASTER/MOTOR LIFT®

MODEL	94330EML/94333EML/94335EML
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB), F
AIR4 HOME / HOME PRO	YES



FOR CHAMBERLAIN/LIFT MASTER/MOTOR LIFT®

MODEL	94334CE
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB), F
AIR4 HOME / HOME PRO	YES



FOR CHAMBERLAIN/LIFT MASTER/MOTOR LIFT®

MODEL	94334E
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB), F
AIR4 HOME / HOME PRO	YES



FOR CHAMBERLAIN/LIFT MASTER/MOTOR LIFT®

MODEL	94335E
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB), F
AIR4 HOME / HOME PRO	YES



FOR CHAMBERLAIN/LIFT MASTER/MOTOR LIFT®

MODEL	953ESTD
ROLLING TYPE	ROLLING CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR CHAMBERLAIN/LIFT MASTER/MOTOR LIFT®

MODEL	953ESTD
ROLLING TYPE	ROLLING CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

C

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR CHAMBERLAIN/LIFT MASTER/MOTOR LIFT®

MODEL	953ESTD
ROLLING TYPE	ROLLING CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR CHAMBERLAIN/LIFT MASTER/MOTOR LIFT®

MODEL	971 LM
ROLLING TYPE	ROLLING CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR CHAMBERLAIN/LIFT MASTER/MOTOR LIFT®

MODEL	9747E
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB), F
AIR4 HOME / HOME PRO	YES



FOR CHAMBERLAIN/LIFT MASTER/MOTOR LIFT®

MODEL	G4330E
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CIMESA®

MODEL	EM
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CLEMSA®

MODEL	D
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CLEMSA®

MODEL	DIGICODE MH
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CLEMSA®

MODEL	E
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CLEMSA®

MODEL	E-300
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CLEMSA®

MODEL	E-600
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

C

EU = Europe • IB = Spain and Portugal



FOR CLEMSA®	
MODEL	E-CODE N
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR CLEMSA®	
MODEL	E20
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR CLEMSA®	
MODEL	EM
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CLEMSA®	
MODEL	F/C
ROLLING TYPE	FIXED CODE
FREQUENCY	30.035 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CLEMSA®	
MODEL	FA
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CLEMSA®	
MODEL	M-60
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CLEMSA®	
MODEL	MASTERCODE
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CLEMSA®	
MODEL	MH
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CLEMSA®	
MODEL	MH-E
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CLEMSA®	
MODEL	MT
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

C

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR CLEMSA®	
MODEL	MT-X
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CLEMSA®	
MODEL	MT-Y
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CLEMSA®	
MODEL	MT-Z
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR CLEMSA®	
MODEL	MUTANCODE T2
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB), F, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CLEMSA®	
MODEL	T
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB), F, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CLEMSA®	
MODEL	T-8
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR CLEMSA®	
MODEL	TX-K
ROLLING TYPE	FIXED CODE
FREQUENCY	30.035 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CLEMSA®	
MODEL	TX-L
ROLLING TYPE	FIXED CODE
FREQUENCY	30.035 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CLEMSA®	
MODEL	TX-M
ROLLING TYPE	FIXED CODE
FREQUENCY	30.035 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR CLEMSA®	
MODEL	TX-ML
ROLLING TYPE	FIXED CODE
FREQUENCY	29.99 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

C

EU = Europe • IB = Spain and Portugal



FOR CLEMSA®	
MODEL	TX-P
ROLLING TYPE	FIXED CODE
FREQUENCY	30.035 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR COMPAT-D®	
MODEL	5ATD 210433EZ
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CYACSA®	
MODEL	MINI GO
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR CYACSA®	
MODEL	NEO
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR CYACSA®	
MODEL	TWIN
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DASPI®	
MODEL	ZERO 2 RC
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DASPI®	
MODEL	ZERO 4 RC
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DEA SYSTEM®	
MODEL	306
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR DEA SYSTEM®	
MODEL	DEA 30.875-2
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR DEA SYSTEM®	
MODEL	GENIE 263
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

D

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR DEA SYSTEM®	
MODEL	GENIE R 273
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR DEA SYSTEM®	
MODEL	GENIE S 263L
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR DEA SYSTEM®	
MODEL	GOLD 238 S1
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR DEA SYSTEM®	
MODEL	GOLD 238 S2
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR DEA SYSTEM®	
MODEL	GOLD 239 S4
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR DEA SYSTEM®	
MODEL	GOLD 306
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4 V64, V128, V, V PLUS (EU/IB)	
AIR4 HOME / HOME PRO	YES



FOR DEA SYSTEM®	
MODEL	GOLD R
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR DEA SYSTEM®	
MODEL	GT2-4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR DEA SYSTEM®	
MODEL	GT2-4M
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR DEA SYSTEM®	
MODEL	MIO TD
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

D

EU = Europe • IB = Spain and Portugal



FOR DEA SYSTEM®	
MODEL	PUNTO 268
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DEA SYSTEM®	
MODEL	PUNTO 278
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DEA SYSTEM®	
MODEL	TR2/4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DELMA®	
MODEL	APOLLO-300-4
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR DELMA®	
MODEL	APOLLO-433-4
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DELMA®	
MODEL	APOLLO-433-4 NEW
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DELMA®	
MODEL	KING-40
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR DELMA®	
MODEL	KING-433
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DELMA®	
MODEL	MIZ-300
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR DELMA®	
MODEL	MIZ-433
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

D

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR DETUMANDO®	
MODEL	DTM ROLL
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB), F, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DICKERT®	
MODEL	AHS27
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR DICKERT®	
MODEL	AHS40
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR DICKERT®	
MODEL	DX27
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR DICKERT®	
MODEL	DX40
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR DICKERT®	
MODEL	FHS10-B
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR DICKERT®	
MODEL	HS-868
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR DICKERT®	
MODEL	HS-868 GREY
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR DICKERT®	
MODEL	IAMS 40
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR DICKERT®	
MODEL	IAMS 433
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

D

EU = Europe • IB = Spain and Portugal



FOR DICKERT®	
MODEL	IFMS20
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

Image
not
available

FOR DICKERT®	
MODEL	IS-433
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

Image
not
available

FOR DICKERT®	
MODEL	IS-868
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR DICKERT®	
MODEL	MAHS27
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR DICKERT®	
MODEL	MAHS40
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR DICKERT®	
MODEL	MAHS433
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DICKERT®	
MODEL	S10 -433-AL
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DICKERT®	
MODEL	S10 AL
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR DICKERT®	
MODEL	S10 AL
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DICKERT®	
MODEL	S20-433-AL
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

D

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR DICKERT®	
MODEL	S20-868-AL
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR DICKERT®	
MODEL	S5-433-AL
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DICKERT®	
MODEL	S5-868-AL
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR DITEC/ENTREMATI [®]	
MODEL	BIX LG4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR DITEC/ENTREMATI [®]	
MODEL	BIX LP2
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR DITEC/ENTREMATI [®]	
MODEL	BIX LS2
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DITEC/ENTREMATI [®]	
MODEL	GOL4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR DITEC/ENTREMATI [®]	
MODEL	GOL4C
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DITEC/ENTREMATI [®]	
MODEL	ZEN 2
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR DITEC/ENTREMATI [®]	
MODEL	ZEN 2C
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

D

EU = Europe • IB = Spain and Portugal



FOR DITEC/ENTREMATIc®

MODEL	ZEN 4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR DITEC/ENTREMATIc®

MODEL	ZEN 4C
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DITEC/ENTREMATIc®

MODEL	ZEN2B-G-R-W-Y
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR DMIL®

MODEL	G0
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR DMIL®

MODEL	NEO10 DMIL
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DMIL®

MODEL	TWIN
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DOITRAND®

MODEL	MPSTFERE
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DOORHAN®

MODEL	TRANSMITTER 2
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU), F
AIR4 HOME / HOME PRO	YES



FOR DOORHAN®

MODEL	TRANSMITTER 4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU), F
AIR4 HOME / HOME PRO	YES



FOR DOORMATIC®

MODEL	AM-300
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

D

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR DOORMATIC®	
MODEL	AZ-433
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DOORMATIC®	
MODEL	EURO
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DOORMATIC®	
MODEL	MILENY/EVO
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB), L (IB)
AIR4 HOME / HOME PRO	YES



FOR DORMA®	
MODEL	MS41-2 40.685
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR DORMA®	
MODEL	S41-1
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR DUCATI®	
MODEL	TE2
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DUCATI®	
MODEL	TPR
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DUCATI®	
MODEL	TSAW
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR DUCATI®	
MODEL	TSAWN
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR E-KING®	
MODEL	433
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

E

EU = Europe • IB = Spain and Portugal



FOR E-KING®	
MODEL	433 II
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

Image
not
available

FOR E-KING®	
MODEL	433-M
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR E-KING®	
MODEL	868-4C
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

Image
not
available

FOR E-KING®	
MODEL	TX433
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

Image
not
available

FOR E-KING®	
MODEL	TX868
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ECE®	
MODEL	433 TX4
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ECE®	
MODEL	ECE 433
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ECOSTAR®	
MODEL	40
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ECOSTAR®	
MODEL	ECOSTAR
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ECOSTAR®	
MODEL	RSCS
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

E

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR ECOSTAR®	
MODEL	RSE
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU)
AIR4 HOME / HOME PRO	YES



FOR ECOSTAR®	
MODEL	RSZ
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU)
AIR4 HOME / HOME PRO	YES



FOR EINHELL®	
MODEL	HS433
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ELBE®	
MODEL	50
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ELEMAT®	
MODEL	EL2 PLUS
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB), F, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ELEMAT®	
MODEL	K30
ROLLING TYPE	FIXED CODE
FREQUENCY	30.9 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ELEMAT®	
MODEL	MINI TEC 2C
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR ELEMAT®	
MODEL	QUARTZ
ROLLING TYPE	FIXED CODE
FREQUENCY	30.035 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ELEMAT®	
MODEL	TRINARY
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

Image
not
available

FOR ELERO®	
MODEL	RFKCO-40-5
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

E

EU = Europe • IB = Spain and Portugal



Image
not
available

FOR ELERO®	
MODEL	T102497-40-5
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

Image
not
available

FOR ELERO®	
MODEL	T397-40-2
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

Image
not
available

FOR ELKA®	
MODEL	SK
ROLLING TYPE	FIXED CODE
FREQUENCY	434 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ELKA®	
MODEL	SKX
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ELKA®	
MODEL	SKX1LC
ROLLING TYPE	FIXED CODE
FREQUENCY	433.975 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ELKA®	
MODEL	SKX2LC
ROLLING TYPE	FIXED CODE
FREQUENCY	433.975 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

Image
not
available

FOR ELKA®	
MODEL	SKX3LC
ROLLING TYPE	FIXED CODE
FREQUENCY	433.975 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

Image
not
available

FOR ELKA®	
MODEL	SKX4LC
ROLLING TYPE	FIXED CODE
FREQUENCY	433.975 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ELKA®	
MODEL	SLX
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ELKA®	
MODEL	SM
ROLLING TYPE	FIXED CODE
FREQUENCY	29.985 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

E

Air₄ Remotes

EU = Europe · IB = Spain and Portugal



FOR EMFA®	
MODEL	BINARY
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR EMFA®	
MODEL	G02-EMF
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR EMFA®	
MODEL	MA0868
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR EMFA®	
MODEL	MAP433
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR EMFA®	
MODEL	NEO
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR EMFA®	
MODEL	QUARTZ
ROLLING TYPE	FIXED CODE
FREQUENCY	30.035 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR EMFA®	
MODEL	TE3
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR EMFA®	
MODEL	TRINARY
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR EMFA®	
MODEL	TWIN
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ERONE®	
MODEL	OVALI
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

E

EU = Europe • IB = Spain and Portugal



FOR ERONE®	
MODEL	OVALI QUARTZ 27
ROLLING TYPE	FIXED CODE
FREQUENCY	27.195 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ERONE®	
MODEL	OVALI QUARTZ 30
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ERREKA®	
MODEL	BARR
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	BM
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	CEME
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	CLEM
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	CLMX
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	CLMY
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	CYJC
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	EL
ROLLING TYPE	FIXED CODE
FREQUENCY	30.035 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

E

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR ERREKA®	
MODEL	IRIS 2/4 433
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB), F, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	IRIS 2/4 868
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	JC
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	JJM
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	LIRA 433
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB), F, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	LIRA 868
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	LUNA
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	MATZ
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	MATZ AZUL
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	MC
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

E

EU = Europe • IB = Spain and Portugal



FOR ERREKA®	
MODEL	MT
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	RESON 2
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	RESON 4
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	RLT
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	ROLLER 2 433
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB), F, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	ROLLER 2 868
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	ROLLER 4 868
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	SGOX
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	SMAT
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	SOL 2R/4R 433
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB), F, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

E

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR ERREKA®	
MODEL	SOL 2R/4R 868
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	TEMI
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

Image
not
available

FOR ERREKA®	
MODEL	TENZ
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	VEGA 2/4 433
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB), F, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ERREKA®	
MODEL	VEGA 2/4 868
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR FAAC®	
MODEL	418 SL
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR FAAC®	
MODEL	DL 2/4 868 SLH MASTER
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR FAAC®	
MODEL	DL 2/4 868 SLH SLAVE
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	NO / NO
ON RECEIVER PROCEDURE	DIRECT
AIR4	V PLUS 128 ONLINE PROCEDURE
AIR4 HOME / HOME PRO	NO



FOR FAAC®	
MODEL	R40 330 NEW
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR FAAC®	
MODEL	R40 330 OLD
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

F

EU = Europe • IB = Spain and Portugal



FOR FAAC®	
MODEL	T433 SLH MASTER
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L2
AIR4 HOME / HOME PRO	YES



FOR FAAC®	
MODEL	T433 SLH SLAVE
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	NO / NO
ON RECEIVER PROCEDURE	DIRECT
AIR4	V PLUS 128 ONLINE PROCEDURE
AIR4 HOME / HOME PRO	NO



FOR FAAC®	
MODEL	T868 SLH MASTER
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR FAAC®	
MODEL	T868 SLH SLAVE
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	NO / NO
ON RECEIVER PROCEDURE	DIRECT
AIR4	V PLUS 128 ONLINE PROCEDURE
AIR4 HOME / HOME PRO	NO



FOR FAAC®	
MODEL	TE433 HG
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR FAAC®	
MODEL	TM 315
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR FAAC®	
MODEL	TM1 300
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR FAAC®	
MODEL	TM1-2 433 DS
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR FAAC®	
MODEL	TM1-2 868 DS
ROLLING TYPE	FIXED CODE
FREQUENCY	868.4 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR FAAC®	
MODEL	TM2 300
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

F

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR FAAC®	
MODEL	TM2 300S
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR FAAC®	
MODEL	TML 433 SLH MASTER
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L2
AIR4 HOME / HOME PRO	YES



FOR FAAC®	
MODEL	TML 433 SLH SLAVE
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	NO / NO
ON RECEIVER PROCEDURE	DIRECT
AIR4	V PLUS 128 ONLINE PROCEDURE
AIR4 HOME / HOME PRO	NO



FOR FAAC®	
MODEL	TML2-4 433 SLR
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR FAAC®	
MODEL	TMN 30.065
ROLLING TYPE	FIXED CODE
FREQUENCY	30.065 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR FAAC®	
MODEL	TMN 30.875
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR FAAC®	
MODEL	XT2-4 433 SLH LR MASTER
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L2
AIR4 HOME / HOME PRO	YES



FOR FAAC®	
MODEL	XT2-4 433 SLH LR SLAVE
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	NO / NO
ON RECEIVER PROCEDURE	DIRECT
AIR4	V PLUS 128 ONLINE PROCEDURE
AIR4 HOME / HOME PRO	NO



FOR FAAC®	
MODEL	XT2-4 433 SLH MASTER
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L2
AIR4 HOME / HOME PRO	YES



FOR FAAC®	
MODEL	XT2-4 433 SLH SLAVE
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	NO / NO
ON RECEIVER PROCEDURE	DIRECT
AIR4	V PLUS 128 ONLINE PROCEDURE
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

F

EU = Europe • IB = Spain and Portugal



FOR FAAC®	
MODEL	XT2-4 868 SLH LR MASTER
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR FAAC®	
MODEL	XT2-4 868 SLH LR SLAVE
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	NO / NO
ON RECEIVER PROCEDURE	DIRECT
AIR4	V PLUS 128 ONLINE PROCEDURE
AIR4 HOME / HOME PRO	NO



FOR FAAC®	
MODEL	XT2-4 868 SLH MASTER
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR FAAC®	
MODEL	XT2-4 868 SLH SLAVE
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	NO / NO
ON RECEIVER PROCEDURE	DIRECT
AIR4	V PLUS 128 ONLINE PROCEDURE
AIR4 HOME / HOME PRO	NO



FOR FAAC®	
MODEL	XT4 433 RC
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR FAAC®	
MODEL	XT4 433RC-BE
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR FADINI®	
MODEL	ASTRO 433
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR FADINI®	
MODEL	ASTRO 433M
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR FADINI®	
MODEL	JUBI 433
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR FADINI®	
MODEL	JUBI 433/2 TR
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

F

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR FADINI®	
MODEL	JUBI SMALL
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR FERPORT®	
MODEL	TAC 80
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR FERPORT®	
MODEL	TAC 80A
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR FERPORT®	
MODEL	TAC2-4K
ROLLING TYPE	FIXED CODE
FREQUENCY	433.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR FERPORT®	
MODEL	TAC2-4KR
ROLLING TYPE	FIXED CODE
FREQUENCY	433.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR FERPORT®	
MODEL	TAC2-4KR NEW
ROLLING TYPE	FIXED CODE
FREQUENCY	433.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR FOCEBAT®	
MODEL	FORC 141
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR FOCEBAT®	
MODEL	FORC 441
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR FORSA®	
MODEL	BUTTERFLY
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR FORSA®	
MODEL	GAMMA27
ROLLING TYPE	FIXED CODE
FREQUENCY	27.195 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

F

EU = Europe • IB = Spain and Portugal



FOR FORSA®	
MODEL	MINI GO
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR FORSA®	
MODEL	RT1
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2
AIR4 HOME / HOME PRO	YES



FOR FORSA®	
MODEL	RT2
ROLLING TYPE	ROLLING CODE
FREQUENCY	432.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR FORSA®	
MODEL	RT4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2
AIR4 HOME / HOME PRO	YES



FOR FORSA®	
MODEL	S27M
ROLLING TYPE	FIXED CODE
FREQUENCY	27.095 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR FORSA®	
MODEL	STX
ROLLING TYPE	FIXED CODE
FREQUENCY	27.195 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR FORSA®	
MODEL	TRIEME
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR FORSA®	
MODEL	TWIN
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2
AIR4 HOME / HOME PRO	YES



FOR FORSA®	
MODEL	TX26
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR FORSA®	
MODEL	TXE
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

G

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR GENIUS®	
MODEL	A252
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU), F
AIR4 HOME / HOME PRO	YES



FOR GENIUS®	
MODEL	A254
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU), F
AIR4 HOME / HOME PRO	YES



FOR GENIUS®	
MODEL	AMIGO 868 MASTER
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR GENIUS®	
MODEL	AMIGO 868 SLAVE
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	NO / NO
ON RECEIVER PROCEDURE	DIRECT
AIR4	V PLUS 128 ONLINE PROCEDURE
AIR4 HOME / HOME PRO	NO



FOR GENIUS®	
MODEL	AMIGOLD 2-4 868 MASTER
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR GENIUS®	
MODEL	AMIGOLD 2-4 868 SLAVE
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	NO / NO
ON RECEIVER PROCEDURE	DIRECT
AIR4	V PLUS 128 ONLINE PROCEDURE
AIR4 HOME / HOME PRO	NO



FOR GENIUS®	
MODEL	BRAVO TE4433H
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR GENIUS®	
MODEL	ECHO TX 4 RC
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR GENIUS®	
MODEL	JA40
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR GENIUS®	
MODEL	KILO TX2-TX4 868 JLC MASTER
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

G

EU = Europe • IB = Spain and Portugal



FOR GENIUS®	
MODEL	KILO TX2-TX4 868 JLC SLAVE
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	NO / NO
ON RECEIVER PROCEDURE	DIRECT
AIR4	V PLUS 128 ONLINE PROCEDURE
AIR4 HOME / HOME PRO	NO



FOR GIBIDI®	
MODEL	AU1600
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR GIBIDI®	
MODEL	AU1600 WOOD
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR GIBIDI®	
MODEL	AU1610
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR GIBIDI®	
MODEL	AU1680
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR GIBIDI®	
MODEL	AU1680 WOOD
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR GIBIDI®	
MODEL	AU1810
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR GIBIDI®	
MODEL	AU3000 DOMINO
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR GIBIDI®	
MODEL	AU01590
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

Image
not
available

FOR GIBIDI/OPEN OUT®	
MODEL	ARM AU01530
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

G

Air₄ Remotes



EU = Europe • IB = Spain and Portugal

Image
not
available

FOR GIBIDI/OPEN OUT®	
MODEL	ARM AU01540
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR GIBIDI/OPEN OUT®	
MODEL	L110
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

FOR GIBIDI/OPEN OUT®	
MODEL	MTQ 30-8
ROLLING TYPE	FIXED CODE
FREQUENCY	30.8 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR GIBIDI/OPEN OUT®	
MODEL	MTQ 40
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

FOR GIBIDI/OPEN OUT®	
MODEL	TMB
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR GIBIDI/OPEN OUT®	
MODEL	TSM
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

FOR GOBBATO®	
MODEL	RAD/B2S
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR GR®	
MODEL	GR 30-875
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

FOR GR®	
MODEL	GR 433
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR GULLIVER®	
MODEL	MDRQ
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

G

EU = Europe • IB = Spain and Portugal



FOR GULLIVER®	
MODEL	MDRS
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR GULLIVER®	
MODEL	MDW/2
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR HORMANN®	
MODEL	HS4 868 BS
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR HORMANN®	
MODEL	HS40
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR HORMANN®	
MODEL	HS868
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR HORMANN®	
MODEL	HSE 433
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR HORMANN®	
MODEL	HSE-2 868 BS (LED RED)
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR HORMANN®	
MODEL	HSM 433
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR HORMANN®	
MODEL	HSM4 868
ROLLING TYPE	FIXED CODE
FREQUENCY	868.32 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR HORMANN®	
MODEL	HSP4-868
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

J

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR JCM®	
MODEL	APERIO
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	APERIO
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	BINARY
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	CYACSA GO
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	DMIL GO
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	EB
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	EF
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	EM
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	ET
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	FORSA GO
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

J

EU = Europe • IB = Spain and Portugal



FOR JCM®	
MODEL	FORSA GO
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	GO
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	GO CUBELLS
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	GO CUBELLS
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	NO / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	GO GIBIDI
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	GO MINI-NTN
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	GO-2 ANTONIO ONECA
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	GO2 EMFA
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	HYDOM GO
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	JCM GO MINI IMEBA
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	NO / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

J

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR JCM®	
MODEL	MINI GO2 NTN
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	NEO 10 NK
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	NO / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	NEO DMIL
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	NEO EMFA
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	NEO FORSA
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	NEO PUYOL
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	NEO SERVIPARKING
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	NEO10+KOM
ROLLING TYPE	ROLLING CODE
FREQUENCY	434 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	NEO02
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	NO / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	NEO020 SEC
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

J

EU = Europe • IB = Spain and Portugal



FOR JCM®	
MODEL	NORTON GO
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	P115
ROLLING TYPE	FIXED CODE
FREQUENCY	30.035 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR JCM®	
MODEL	TECHG02
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	TECHG04
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	TRIEME
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	TWIN
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	TWIN R TIF
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR JCM®	
MODEL	VOLT 868
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	NO / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128
AIR4 HOME / HOME PRO	YES



FOR KEY®	
MODEL	900TXB-42R
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR KEY®	
MODEL	SUB 44WR
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

K Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR KEY®	
MODEL	TXB 44R
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR KEY®	
MODEL	TXG 44R
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR KING GATES®	
MODEL	CLIPPER
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR KING GATES®	
MODEL	STYLO 4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR KLING®	
MODEL	KUA2
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU), F
AIR4 HOME / HOME PRO	YES



FOR LABEL®	
MODEL	SPYCO-1
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR LABEL®	
MODEL	SPYCO-3
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR LABEL®	
MODEL	SPYCO-3E
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	NO / NO
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128
AIR4 HOME / HOME PRO	YES



FOR LEB®	
MODEL	TCP 2-3
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR LEB®	
MODEL	TMW4
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

L

EU = Europe • IB = Spain and Portugal



FOR LEB®	
MODEL	TPW4
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR LEB®	
MODEL	TPW4S
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR LEB®	
MODEL	TQ
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR LIFE®	
MODEL	FID02
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR LIFE®	
MODEL	FID04
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR LIFE®	
MODEL	STAR 2-4
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR LIFE®	
MODEL	VIP2
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR LIFE®	
MODEL	VIP2R
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR LIFE®	
MODEL	VIP4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR LIFE®	
MODEL	VIP4R
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

L

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR LINEAR®	
MODEL	LINEAR
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR LINEAR®	
MODEL	MEGACODE
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V
AIR4 HOME / HOME PRO	YES



FOR LINEAR®	
MODEL	MULTICODE
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR LINEAR-HCS®	
MODEL	TX 3T B (AZUL MIN)
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.9 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V
AIR4 HOME / HOME PRO	YES



FOR LINEAR-HCS®	
MODEL	TX 3T B FUMÈ
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.9 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V
AIR4 HOME / HOME PRO	YES



FOR LINEAR-HCS®	
MODEL	TX2T-A
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.9 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V
AIR4 HOME / HOME PRO	YES



FOR LINEAR-HCS®	
MODEL	TX3T-A
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.9 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V
AIR4 HOME / HOME PRO	YES



FOR LINEAR-HCS®	
MODEL	TX4T-A
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.9 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V
AIR4 HOME / HOME PRO	YES



FOR LUTEC®	
MODEL	TRC4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU), F, L, L2
AIR4 HOME / HOME PRO	YES



FOR MARANTEC®	
MODEL	21R
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

M

EU = Europe • IB = Spain and Portugal



FOR MARANTEC®	
MODEL	D23
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR MARANTEC®	
MODEL	D384-868
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR MARANTEC®	
MODEL	DIGITAL 21
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR MARANTEC®	
MODEL	DIGITAL 21
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR MARANTEC®	
MODEL	DIGITAL 302/304 433
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR MARANTEC®	
MODEL	DIGITAL 302/304 868
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR MARANTEC®	
MODEL	DIGITAL 313
ROLLING TYPE	FIXED CODE
FREQUENCY	868.6 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR MARANTEC®	
MODEL	DIGITAL 32 868
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR MEDVA®	
MODEL	UNITECH-3E
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L (IB)
AIR4 HOME / HOME PRO	YES



FOR MERLIN 2.0®	
MODEL	E940M
ROLLING TYPE	ROLLING CODE
FREQUENCY	434.54 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

M

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR MERLIN 2.0°	
MODEL	E943M
ROLLING TYPE	ROLLING CODE
FREQUENCY	434.54 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR MERLIN 2.0°	
MODEL	E945M
ROLLING TYPE	ROLLING CODE
FREQUENCY	434.54 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR MERLIN/PROLIFT°	
MODEL	C940
ROLLING TYPE	ROLLING CODE
FREQUENCY	434.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR MERLIN/PROLIFT°	
MODEL	C943
ROLLING TYPE	ROLLING CODE
FREQUENCY	434.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR MERLIN/PROLIFT°	
MODEL	C945
ROLLING TYPE	ROLLING CODE
FREQUENCY	434.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR MERLIN/PROLIFT°	
MODEL	M842 (GREEN)
ROLLING TYPE	ROLLING CODE
FREQUENCY	434.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR MERLIN/PROLIFT°	
MODEL	M844 (GREEN)
ROLLING TYPE	ROLLING CODE
FREQUENCY	434.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR MHOUSE°	
MODEL	GTX4C
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR MHOUSE°	
MODEL	TX-3-4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR MHOUSE°	
MODEL	TX3
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

M

EU = Europe • IB = Spain and Portugal



FOR MOOVO®	
MODEL	MT4-MT4V-MT4G MOOVO
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR MOTORSTAR®	
MODEL	CLIKSTAR 53
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR NEW GATE®	
MODEL	NOV03
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR NICE®	
MODEL	BIO BTK 27120
ROLLING TYPE	FIXED CODE
FREQUENCY	27.12 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR NICE®	
MODEL	BIO BTK 30875
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR NICE®	
MODEL	BIO BTK 40685
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR NICE®	
MODEL	EASY S
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR NICE®	
MODEL	EASY-K 30875
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR NICE®	
MODEL	EASY-KM
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR NICE®	
MODEL	EASY-KM 27120
ROLLING TYPE	FIXED CODE
FREQUENCY	27.12 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

N

Air₄ Remotes



EU = Europe • IB = Spain and Portugal



FOR NICE®	
MODEL	EASY-KM 30875
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR NICE®	
MODEL	EASY-KM 40685
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR NICE®	
MODEL	ERA ON1E
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR NICE®	
MODEL	ERA ON1E FM
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.46 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR NICE®	
MODEL	ERA ON2E
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR NICE®	
MODEL	ERA ON2E FM
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.46 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR NICE®	
MODEL	ERA ON4E
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR NICE®	
MODEL	ERA ON4E FM
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.46 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR NICE®	
MODEL	ERA ON9E FM
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.46 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR NICE®	
MODEL	ERA-FL01R
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

N

EU = Europe • IB = Spain and Portugal



FOR NICE®	
MODEL	ERA-FLO2R
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L (IB)
AIR4 HOME / HOME PRO	YES



FOR NICE®	
MODEL	ERA-FLO4R
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L (IB)
AIR4 HOME / HOME PRO	YES



FOR NICE®	
MODEL	ERGO
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L (IB)
AIR4 HOME / HOME PRO	YES



FOR NICE®	
MODEL	FLO1
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR NICE®	
MODEL	FLO1R-S
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L (IB)
AIR4 HOME / HOME PRO	YES



FOR NICE®	
MODEL	FLO2
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR NICE®	
MODEL	FLO2R-S
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L (IB)
AIR4 HOME / HOME PRO	YES



FOR NICE®	
MODEL	FLO4
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR NICE®	
MODEL	FLO4R-S
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L (IB)
AIR4 HOME / HOME PRO	YES



FOR NICE®	
MODEL	INTI2R-Y-G-B-L
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

N

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR NICE®	
MODEL	ON4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR NICE®	
MODEL	ONE (ON FM)
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR NICE®	
MODEL	SMILO SM2
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR NICE®	
MODEL	SMILO SM4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR NICE®	
MODEL	VERY VR
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR NOLOGO®	
MODEL	SMILE-R
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR NORMSTAHL®	
MODEL	EA433-K
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	NO / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU)
AIR4 HOME / HOME PRO	YES



FOR NORMSTAHL®	
MODEL	EA4333-KM
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	NO / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU)
AIR4 HOME / HOME PRO	YES



FOR NORMSTAHL®	
MODEL	RCU 4332K
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	NO / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU)
AIR4 HOME / HOME PRO	YES



FOR NORMSTAHL®	
MODEL	RCU433 4K
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	NO / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

N

EU = Europe • IB = Spain and Portugal



Image
not
available

FOR NORMSTAHL®	
MODEL	RCU433-K
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	NO / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU)
AIR4 HOME / HOME PRO	YES

Image
not
available

FOR NORMSTAHL®	
MODEL	T12018
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

FOR NORMSTAHL®	
MODEL	T12030
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR NORMSTAHL®	
MODEL	T40
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR NORTON®	
MODEL	NEO40-NTN
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR NORTON®	
MODEL	TXCD
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR NORTON®	
MODEL	TXE
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

Image
not
available

FOR NOVOFERM®	
MODEL	HS 43-1E
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR NOVOFERM®	
MODEL	M512-1-2
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR NOVOFERM®	
MODEL	MCHS43-2
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

N

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR NOVOFERM®	
MODEL	MICRO-NOVOTRON 312
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR NOVOFERM®	
MODEL	MICRO-NOVOTRON 512
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR NOVOFERM®	
MODEL	MINI-NOVOTRON 302
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR NOVOFERM®	
MODEL	MINI-NOVOTRON 402
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR NOVOFERM®	
MODEL	MINI-NOVOTRON 502
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR NOVOFERM®	
MODEL	MINI-NOVOTRON 504
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR NOVOFERM®	
MODEL	MNHS433-04
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR NOVOFERM®	
MODEL	MS41-2 40.685
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR NOVOFERM®	
MODEL	NOVOTRON 202 MB
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES



FOR NOVOFERM®	
MODEL	NOVOTRON 502 MAX 43-2
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4 V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)	
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

N

EU = Europe • IB = Spain and Portugal



FOR NOVOFERM®	
MODEL	NOVOTRON 504 MAX 43-4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR NOVOFERM®	
MODEL	NOVOTRON 522
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR NOVOFERM®	
MODEL	NOVOTRON 524
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR NOVOFERM®	
MODEL	S41-2 40.685
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

Image
not
available

FOR NOVOFERM®	
MODEL	T102497-40-5
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR NOVOTECNIA®	
MODEL	BITY
ROLLING TYPE	FIXED CODE
FREQUENCY	30.9 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR NOVOTECNIA®	
MODEL	BIX
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR O&O®	
MODEL	ELIOT
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2
AIR4 HOME / HOME PRO	YES



FOR O&O®	
MODEL	RAY
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2
AIR4 HOME / HOME PRO	YES



FOR O&O®	
MODEL	T.COM R4-2
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

0

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR O&O®	
MODEL	T.COM R8-4
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR O&O®	
MODEL	TX
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2
AIR4 HOME / HOME PRO	YES



FOR PECCININ®	
MODEL	TX 3C
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, F
AIR4 HOME / HOME PRO	YES



FOR PORTAMATIC®	
MODEL	MPH
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR PORTAMATIC®	
MODEL	MPSA
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR PORTAMATIC®	
MODEL	MPSN
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR PORTIS®	
MODEL	GO PRO MINI
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.35 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR PORTIS®	
MODEL	TELTIS
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.35 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR PPA®	
MODEL	TOK MINI
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR PRASTEL®	
MODEL	B-FOR
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

P

EU = Europe • IB = Spain and Portugal



FOR PRASTEL®

MODEL	KMFT
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR PRASTEL®

MODEL	KMFT
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR PRASTEL®

MODEL	KMFTP
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR PRASTEL®

MODEL	KMFTP
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR PRASTEL®

MODEL	MPSTFE
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR PRASTEL®

MODEL	MPSTFE 2RE
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR PRASTEL®

MODEL	MPSTFE RJ
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR PRASTEL®

MODEL	MPSTL E
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR PRASTEL®

MODEL	MPSTLQ
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR PRASTEL®

MODEL	MPSTP2E
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

P

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR PRASTEL®	
MODEL	MPSTP2E BLUE
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR PRASTEL®	
MODEL	MT4E
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR PRASTEL®	
MODEL	NCSMT4P-A
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR PRASTEL®	
MODEL	SLIM 4E
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR PRASTEL®	
MODEL	TC4E
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR PRASTEL®	
MODEL	TRQ4P
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR PROEM®	
MODEL	ER4C4ACS
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR PROEM®	
MODEL	ERC/ACD
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR PROEM®	
MODEL	ERC/C27
ROLLING TYPE	FIXED CODE
FREQUENCY	27.095 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR PROGET®	
MODEL	QTE
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

P

EU = Europe • IB = Spain and Portugal



FOR PUJOL®	
MODEL	ET
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR PUJOL®	
MODEL	MARTE
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.85 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR PUJOL®	
MODEL	NEO
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR PUJOL®	
MODEL	P15
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR PUJOL®	
MODEL	PJ
ROLLING TYPE	FIXED CODE
FREQUENCY	30.035 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR PUJOL®	
MODEL	TWIN
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR PUJOL®	
MODEL	VARIO 3 BLACK
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR PUJOL®	
MODEL	VARIO 3 OCEAN
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR PUJOL®	
MODEL	VARIO MARS
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR QTRON®	
MODEL	QT1000 TX1 433CH
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.9 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Q

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR QTRON®	
MODEL	QT1005 TX3 433CH
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.9 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU)
AIR4 HOME / HOME PRO	YES



FOR QTRON®	
MODEL	QT1010 TX4 433CH
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.9 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU)
AIR4 HOME / HOME PRO	YES



FOR QUASAR®	
MODEL	BETA
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR QUASAR®	
MODEL	ETA
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR QUASAR®	
MODEL	TX S433 2
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR RIB®	
MODEL	LITHIO
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR RIB®	
MODEL	MOON
ROLLING TYPE	FIXED CODE
FREQUENCY	30.925 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR RIB®	
MODEL	MOON T433 4CH
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR RIB®	
MODEL	S35
ROLLING TYPE	FIXED CODE
FREQUENCY	26.995 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR RIB®	
MODEL	T91
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

R

EU = Europe • IB = Spain and Portugal



FOR RIB®

MODEL	T91F
ROLLING TYPE	FIXED CODE
FREQUENCY	30.925 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR RIB®

MODEL	UN 433 2-4 CH
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ROGER®

MODEL	E80 TX54R
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ROGER®

MODEL	E80 TX5R/2
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ROGER®

MODEL	H80-TX22
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ROGER®

MODEL	M80-TX44R
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ROGER®

MODEL	SYNUS/2
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ROGER®

MODEL	TX10-12-14
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ROLLTORE®

MODEL	KMFTP 30385
ROLLING TYPE	FIXED CODE
FREQUENCY	30.385 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ROLLTORE®

MODEL	MPSTFE
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

R

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR ROLLTORE®	
MODEL	R330
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ROLLTORE®	
MODEL	R40
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ROLLTORE®	
MODEL	R40-29.90 NEW
ROLLING TYPE	FIXED CODE
FREQUENCY	29.9 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR ROLLTORE®	
MODEL	R40-330 NEW
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR ROPER®	
MODEL	GO
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (IB)
AIR4 HOME / HOME PRO	YES



FOR ROPER®	
MODEL	NEO
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB), F, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ROPER®	
MODEL	NER1 DCS
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (IB), F, L (IB)
AIR4 HOME / HOME PRO	YES



FOR ROPER®	
MODEL	TRINARY
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR SABUTOM®	
MODEL	BROOVER 3P
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR SABUTOM®	
MODEL	BROSTAR
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

S

EU = Europe • IB = Spain and Portugal



FOR SABUTOM®	
MODEL	NOVO
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR SEA®	
MODEL	AGTD
ROLLING TYPE	FIXED CODE
FREQUENCY	30.9 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR SEA®	
MODEL	COCCINELLA ROLL CARBON
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR SEA®	
MODEL	COCCINELLA ROLL GREY
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR SEA®	
MODEL	COCCINELLA ROLL RED
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR SEA®	
MODEL	EC 30.900 MHZ -2
ROLLING TYPE	FIXED CODE
FREQUENCY	30.9 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR SEA®	
MODEL	EC 40.685 MHZ -2
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR SEA®	
MODEL	HEAD 2 433 ROLL
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR SEA®	
MODEL	HEAD 2-4 868 ROLL
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR SEA®	
MODEL	HEAD 4 433 ROLL
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

EU = Europe • IB = Spain and Portugal



FOR SEA®	
MODEL	SEA 433-4 OLD
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR SEA®	
MODEL	SMART DUAL
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR SEAV®	
MODEL	BE EASY
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR SEAV®	
MODEL	BE HAPPY RS1 NEW
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR SEAV®	
MODEL	BE HAPPY RS2 NEW
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR SEAV®	
MODEL	BE HAPPY RS3 NEW
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR SEAV®	
MODEL	BE HAPPY S1
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR SEAV®	
MODEL	BE HAPPY S2
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR SEAV®	
MODEL	BE HAPPY S3
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR SERAI®	
MODEL	OG28-48
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

S

EU = Europe • IB = Spain and Portugal



FOR SERAI®	
MODEL	SER 310
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR SERAI®	
MODEL	SER 433
ROLLING TYPE	FIXED CODE
FREQUENCY	433 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR SICE®	
MODEL	4790207
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU), F, L, L2
AIR4 HOME / HOME PRO	YES



FOR SILCA®	
MODEL	AIR4 RECEIVER & UNIVERSAL RECEIVER
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	NO / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V
AIR4 HOME / HOME PRO	YES



FOR SILVELOX®	
MODEL	MHZ 07 RC
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU), F
AIR4 HOME / HOME PRO	YES



FOR SILVELOX®	
MODEL	MHZ 2007
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU), F
AIR4 HOME / HOME PRO	YES



FOR SILVELOX®	
MODEL	QUARZ SAW
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU), F
AIR4 HOME / HOME PRO	YES



FOR SIMBA®	
MODEL	CVG
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR SIMBA®	
MODEL	RC
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR SIMINOR®	
MODEL	CVM
ROLLING TYPE	FIXED CODE
FREQUENCY	27.195 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

EU = Europe · IB = Spain and Portugal



FOR SIMINOR®	
MODEL	CVS
ROLLING TYPE	FIXED CODE
FREQUENCY	27.095 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR SIMINOR®	
MODEL	CVX
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR SIMINOR®	
MODEL	CVXNL
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR SIMINOR®	
MODEL	EM27
ROLLING TYPE	FIXED CODE
FREQUENCY	27.095 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR SIMINOR®	
MODEL	ERXC4ACS / ER2C4ACS / ER4C4ACS
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR SIMINOR®	
MODEL	S38 TX2 M
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR SIMINOR®	
MODEL	SIM433 NTL2-4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR SIMINOR®	
MODEL	SIM439-2-4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR SOMFY®	
MODEL	ALARMA
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.42 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR SOMFY®	
MODEL	CVX
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

S

EU = Europe • IB = Spain and Portugal



FOR SOMFY®	
MODEL	K-EASY S
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.42 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR SOMFY®	
MODEL	K-EASY-L1 OLD
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.42 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR SOMFY®	
MODEL	K-EASY-L4 NEW
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.42 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR SOMFY®	
MODEL	KEYGO GX523
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.42 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR SOMFY®	
MODEL	KEYTIS RTS NS
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.42 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR SOMFY®	
MODEL	KEYTIS-NS-2-RTS
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.42 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR SOMFY®	
MODEL	KEYTIS-NS-4-RTS
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.42 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR SOMFY®	
MODEL	MITTO RTR
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.42 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR SOMFY®	
MODEL	RCS100-4
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR SOMFY®	
MODEL	SOMFY 40.680 MHZ 4K
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

EU = Europe • IB = Spain and Portugal



FOR SOMFY®	
MODEL	TELIS 1-4 RTS
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.42 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR SOMFY®	
MODEL	TS 433
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR SOMMER®	
MODEL	4010
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR SOMMER®	
MODEL	4020 TX03-868
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR SOMMER®	
MODEL	4025 433
ROLLING TYPE	ROLLING CODE
FREQUENCY	434.42 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR SOMMER®	
MODEL	4025 868
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR SOMMER®	
MODEL	4026 TX03-868
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

Image
not
available

FOR SOMMER®	
MODEL	S435-40
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR SOMMER®	
MODEL	S435-B
ROLLING TYPE	FIXED CODE
FREQUENCY	27.015 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR SOMMER®	
MODEL	S501
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

S

EU = Europe • IB = Spain and Portugal



Image
not
available

FOR SOMMER®

MODEL	T102497-27-5
ROLLING TYPE	FIXED CODE
FREQUENCY	27.045 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR SOMMER®

MODEL	T397-40-2
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO

FOR SOMMER®

MODEL	TRX-55-868-4
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.8 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR SOMMER®

MODEL	TX03-434-2-XP
ROLLING TYPE	ROLLING CODE
FREQUENCY	434.42 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

FOR SOMMER®

MODEL	TX03-868-2-XP
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.8 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR SOMMER®

MODEL	TX03-868-4-XP
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.8 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

FOR STAGNOLI®

MODEL	KALLISTO
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU), F, L, L2
AIR4 HOME / HOME PRO	YES



FOR STAGNOLI®

MODEL	VENUS AV221
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU), F, L, L2
AIR4 HOME / HOME PRO	YES

FOR STAGNOLI®

MODEL	VENUS AV223
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU), F, L, L2
AIR4 HOME / HOME PRO	YES



FOR STAGNOLI®

MODEL	ZEUS AZ442
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

T

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR TAU®

MODEL	250-BUG 2
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR TAU®

MODEL	250-BUG 4
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR TAU®

MODEL	250K-SLIMR
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR TAU®

MODEL	250K-SLIMRP
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR TAU®

MODEL	250T-4RP
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F
AIR4 HOME / HOME PRO	YES



FOR TEDSEN®

MODEL	SKJ
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR TEDSEN®

MODEL	SKX
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR TEDSEN®

MODEL	SKX DL
ROLLING TYPE	FIXED CODE
FREQUENCY	433.995 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR TEDSEN®

MODEL	SKX HD
ROLLING TYPE	FIXED CODE
FREQUENCY	433.995 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR TEDSEN®

MODEL	SKX HD
ROLLING TYPE	FIXED CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

T

EU = Europe • IB = Spain and Portugal



FOR TEDSEN®	
MODEL	SKX LC
ROLLING TYPE	FIXED CODE
FREQUENCY	433.995 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR TEDSEN®	
MODEL	SKX MD
ROLLING TYPE	FIXED CODE
FREQUENCY	433.995 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR TEDSEN®	
MODEL	SKX SL
ROLLING TYPE	FIXED CODE
FREQUENCY	433.995 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR TEDSEN®	
MODEL	SM
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES

Image
not
available

FOR TELCOMA®	
MODEL	131500
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR TELCOMA®	
MODEL	EDGE 2E 4E
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR TELCOMA®	
MODEL	FM 402
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR TELCOMA®	
MODEL	FM 402 E
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR TELCOMA®	
MODEL	FM 404
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR TELCOMA®	
MODEL	FM 404 E
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 FM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	OEM
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

T

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR TELCOMA®	
MODEL	FOX 230
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR TELCOMA®	
MODEL	FOX 440
ROLLING TYPE	FIXED CODE
FREQUENCY	40.685 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR TELCOMA®	
MODEL	RCK
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR TELCOMA®	
MODEL	RCKT
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR TELCOMA®	
MODEL	RCKTM
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR TELCOMA®	
MODEL	RCS
ROLLING TYPE	FIXED CODE
FREQUENCY	FREE BAND
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR TELCOMA®	
MODEL	TANGO SLIM
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR TMP AUTOMATISMOS®	
MODEL	LINK
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	NO / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V
AIR4 HOME / HOME PRO	YES



FOR V2®	
MODEL	HANDY
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L (IB)
AIR4 HOME / HOME PRO	YES



FOR V2®	
MODEL	PHOENIX 433
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

Air₄ Remotes

V

EU = Europe • IB = Spain and Portugal



FOR V2®	
MODEL	PHOENIX 868
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR V2®	
MODEL	PHOX 433
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L (IB)
AIR4 HOME / HOME PRO	YES



FOR V2®	
MODEL	PHOX 868
ROLLING TYPE	ROLLING CODE
FREQUENCY	868.3 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB)
AIR4 HOME / HOME PRO	YES



FOR V2®	
MODEL	TCQ-30
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR V2®	
MODEL	TNQ
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR V2®	
MODEL	TPQ-AF
ROLLING TYPE	FIXED CODE
FREQUENCY	30.875 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	Q
AIR4 HOME / HOME PRO	NO



FOR V2®	
MODEL	TPR-43KF
ROLLING TYPE	FIXED CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	DIRECT
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR V2®	
MODEL	TRC
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L (IB)
AIR4 HOME / HOME PRO	YES



FOR V2®	
MODEL	TSC
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L (IB)
AIR4 HOME / HOME PRO	YES



FOR V2®	
MODEL	TSC2
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L (IB)
AIR4 HOME / HOME PRO	YES

As per current legal rights relating to industrial property, we hereby inform you that the trademarks or brand names mentioned in our document are the exclusive property of the manufacturers of remote controls and authorised users. Such trademarks or brand names are given simply by way of information for the purpose of rapidly recognising the product. This document is reserved for professional duplicators who use Silca Air4 remote controls. The illustrations and technical data regarding remote controls given in this document are to be considered indicative. Silca reserves the right to make any modifications it deems necessary and opportune to improve the quality of Air4, without altering its essential characteristics.

V

Air₄ Remotes

EU = Europe • IB = Spain and Portugal



FOR V2°	
MODEL	TXC4
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L (IB)
AIR4 HOME / HOME PRO	YES



FOR VDS°	
MODEL	ECO-R
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES



FOR VDS°	
MODEL	TRQ 2P/4P
ROLLING TYPE	ROLLING CODE
FREQUENCY	433.92 AM
EASY SCAN / EASY SCAN PLUS	YES / YES
ON RECEIVER PROCEDURE	ALS
AIR4	V64, V128, V, V PLUS (EU/IB), F, L, L2, L (IB)
AIR4 HOME / HOME PRO	YES